

[Home](#)

[Yarns](#)

[Pattern Boutique](#)

[Designer Studio](#)

[Guide to Style](#)

[Caron Blog](#)

[Where to Buy](#)

Tokyo Jacket

designed by
Vashti Braha

Technique used: Crochet



[Naturally Caron.com](#)
[Country](#)

75% Microdenier Acrylic/25%
Merino Wool):

21 (24, 24, 24, 27) oz

Shown in: #0012 Foliage

One size US H-8 (5 mm)
crochet hook, or size to obtain
gauge.

Stitch markers

Buttons or large snaps, and
matching sewing needle and
thread (optional)

Yarn needle



[Click for audio fashion show](#)



[click to enlarge](#)

[schematic](#)

[Printer Friendly instructions](#)

Updated 2/08/12

SIZES

S (M, L/1X, 1X, 2X/3X)

FINISHED MEASUREMENTS:

Bust 41 (42 1/2, 51, 53, 58 1/2)"/104 (108, 129.5, 134.5, 148.5) cm

Length 18 (18 1/2, 19, 19 1/4, 19 1/2)"/45.5 (47, 48.5, 49, 49.5) cm

Note: Measured flat, wet-blocked.

GAUGE

In linked double crochet, 21 ldc and 14 rows = 6"/15 cm;

In sleeve stitch pattern, 2 fans = 6"/15 cm and 4 rows = 5 1/4"/13.5cm.

STITCHES USED

Chain (ch), double crochet (dc), half double crochet (hdc), single crochet (sc), slip stitch (slip st), treble crochet (tr)

SPECIAL TERMS

Fsc: Foundation single crochet (This technique creates a foundation chain and a row of single crochet stitches in one, for a sturdy elastic neckline) –

Step 1:Place a slip knot on hook, ch 2, insert hook in second ch from hook and draw up a loop; yarn over and draw through one loop on hook (the "chain"); yarn over and draw through 2 loops on hook (the "single crochet").

Step 2:The following stitch is worked under the forward 2 loops of the stem of the previous stitch (into the "chain"). Insert hook into the face of the "chain" and under the nub at the back of the "chain", draw up a loop, yarn over and draw through one loop on hook (the "chain"), yarn over and draw through 2 loops on hook (the "single crochet"). Repeat for the length of foundation.

ldc: Linked double crochet—

To work first ldc after starting a new row: Insert hook in 2nd ch from hook (2nd ch of turning ch), yarn over and draw up a loop (this replaces first yarn over of a dc), insert hook in next st, yarn over and draw up a loop, complete as for dc.

To work next ldc: Insert hook in horizontal loop at the middle front of the ldc just made, yarn over and draw up a loop, insert hook in next st, yarn over and draw up a loop, complete as for dc.

trtr: Triple treble crochet—Yarn over 4 times, insert hook in indicated st and draw up a loop, [yarn over and draw through 2 loops on hook] 5 times.

quadtr: Quadruple treble crochet—Yarn over 5 times, insert hook in indicated st and draw up a loop, [yarn over and draw through 2 loops on hook] 6 times.

fan: Triple treble fan—Trtr in indicated stitch, (ch 1, trtr in same stitch) 6 times.

NOTES

1. Jacket is worked side to side in two pieces, "Right Front and Back" and "Left Front and Back", with minimal shaping to create shoulder slope. The two pieces are seamed at the center back.

2. The lace panels disguise the simple drop-shoulder sleeve construction.
3. Jacket has built-in back neck shaping.
4. The foundation row of each piece falls at each shoulder edge. The front and back are worked on one side of the foundation row in linked double crochet, and the lacy sleeves are worked onto the other side of the foundation row.
5. Jacket may be closed with buttons or with side ties.
6. For best drape and proper sleeve length, it is important that the taller stitches (dc, tr, trtr, quadr) reach their full height. After a yarn over, take care to draw the loop all the way through the stitch or loops on hook making a taller loop. This will result in a taller, less bulky stitch. Use these approximate stitch heights as a guide: dc = 3/4"/2cm; tr = 1"/2.5cm; trtr = 1 3/4"/4.5cm; quadr = 2 1/4"/5.5cm.

RIGHT FRONT AND BACK

Note: There is no right side or wrong side until the sleeve is added.

Foundation Row: Fsc 121 (123, 125, 127, 129), turn.

Row 1 (WS): Ch 3 (counts as first ldc throughout), ldc in second st from hook and in each remaining st across, turn—121 (123, 125, 127, 129) ldc.

Row 2: Ch 3, ldc in each st across, turn. Place marker in center (61st (62nd, 63rd, 64th, 65th) st.

Rows 3–8 (8, 9, 9, 10): Repeat Row 2, working 2 ldc in marked st, move marker up as each row is worked keeping marker in or near center st, turn—127 (129, 132, 134, 137) sts.

Back

Row 9 (9, 10, 10, 11): Ch 3 (counts as first ldc), ldc in next 61 (62, 64, 65, 67) sts; leave remaining sts unworked, turn—62 (63, 65, 66, 68) ldc.

Rows 10 (10, 11, 11, 12)–15 (16, 17, 18, 18): Ch 3, ldc in each st across, turn. Fasten off.

Right Front

Row 9 (9, 10, 10, 11): Sk 7 (4, 5, 3, 4) unworked sts of Row 8 (8, 9, 9, 10) after Back, join yarn with slip st in next st; ch 3, ldc in each st to end of row, turn—58 (62, 62, 65, 65) ldc.

Row 10 (10, 11, 11, 12): Ch 3, ldc in each st to last 5 sts; leave last 5 sts unworked, turn—53 (57, 57, 60, 60) ldc.

Row 11 (11, 12, 12, 13): Sk first st, slip st in next 5 sts, ch 3 (counts as ldc with last slip st made as base), ldc in each st to end of row, turn—48 (52, 52, 55, 55) ldc.

Repeat last 2 rows 3 (4, 4, 4, 4) times—18 (12, 12, 15, 15) ldc.

Repeat Row 10 (10, 11, 11, 12) 1 (0, 0, 1, 0) time—13 (12, 12, 10, 15) ldc.

Repeat Row 2, 0 (1, 0, 1, 1) time(s). You should have a total of 18 (20, 20, 22, 22) rows. Do not fasten off, work lacy panel and sleeve with separate ball of yarn. Later the Shawl Collar will be worked beginning with this yarn.

LACY RIGHT SIDE PANEL AND SLEEVE

Note: Take care to work all slip sts and chains at normal gauge, not too tightly.

Row 1: With right side of piece facing, join yarn with slip st in first st of unworked side of foundation row (at lower back corner); ch 3 (counts as first dc), working into 3 strands of foundation sts (to form a strong shoulder edge), dc in next 0 (1, 0, 1, 0) sts, [dc2tog] 0 (0, 1, 1, 2) time(s), , *sk next 4 sts, fan in next st, sk next 4 sts, dc in next st; repeat from * across, [dc2tog] 0 (0, 1, 1, 2) times(s), dc in last 0 (1, 0, 1, 0) sts, turn—12 fans.

Row 2 (WS): Slip st in each trtr, ch-sp, and dc across, turn—169 (171, 171, 173, 173) slip sts.

Row 3: Ch 7 (counts as trtr, ch1), [(trtr, ch 1) twice, trtr] in first st, sk next 6 (7, 7, 8, 8) sts, *sc in next st (above 4th trtr of fan), sk next 6 sts, fan in next st (above dc), sk next 6 sts; repeat from * across to last fan, sc in st above last fan, [(trtr, ch 1) 3 times, trtr] in last slip st; turn. **Note:** Henceforth the 4th tr of a fan will be referred to as the 'top of fan.'

Sizes L (1X, 2X) only:

Row 4: Ch 1, sc in first st, fan in next sc, *sc in top of next fan, fan in next sc; repeat from * across, sc in ch-7 sp, turn.

Size L only:

Row 5: Ch 3, dc in first st, [ch 4, sc in top of next fan, ch 4, (dc, ch 2, dc) in next sc] 3 times; **begin sleeve:** ch 5, [(trtr, ch 1) twice, trtr] in same st as dc just made, [sc in top of next fan, fan in next sc] 5 times, sc in top of next fan, [(trtr, ch 1) 3 times, quadtr] in next sc; leave remaining sts unworked, turn.

Row 6: Ch 1, sc in first st, fan in next sc, *sc in top of next fan, fan in next sc; repeat from * across to ch-5 sp, sc in ch-5 sp; leave remaining sts unworked, turn.

Size 1X only:

Row 5: Ch 3, dc in first st, [ch 4, sc in top of next fan, ch 4, (dc, ch 2, dc) in next sc] twice; ch 4, sc in top of next fan, **begin sleeve:** [fan in next sc, sc in top of next fan] 7 times; leave remaining sts unworked, turn.

Size 2X only:

Row 5: Repeat Row 3.

Sizes S (M, 2X) only:

Row 4 (4, 6): Ch 1, sc in first trtr, [ch 4, (dc, ch 2, dc) in next sc, ch 4, sc in top of next fan] 3 (3, 2) times, **begin sleeve:** [fan in next sc, sc in top of next fan] 6 (6, 8) times; leave remaining sts unworked, turn.

All sizes:

Row 5 (5, 7, 6, 7): Ch 9 (counts as quadtr, ch 1), [(trtr, ch 1) twice, trtr] in first sc, [sc in top of next fan, fan in next sc] 5 (5, 5, 6, 7) times, sc in top of next fan, [(trtr, ch 1) 3 times, quadtr] in next sc; leave remaining sts unworked, turn.

Row 6 (6, 8, 7, 8): Ch 1, sc in first st, fan in next sc, *sc in top of next fan, fan in next sc; repeat from * across, sc in ch-9 sp, turn.

Row 7 (7, 9, 8, 9)–17 (17, 17, 16, 17): Repeat last 2 rows 5 (5, 4, 4, 4) times, then repeat Row 5 (5, 7, 6, 7) once more.

Size 1X only: Fasten off and re-join yarn to beginning of row.

All sizes:

Row 18 (18, 18, 17, 18): Ch 1, sc in quadtr, *ch 2, sk next trtr, hdc in next ch-sp, ch 2, tr in next sc, ch 2, sk next 2 trtr, hdc in next ch-sp, ch 2, sk next trtr, sc in next trtr; repeat from * across, working last sc in ch-9 sp, turn.

Begin Cuff, and Edge One Side of Sleeve

Row 19 (19, 19, 18, 19): Ch 3, 3 dc in first sc, 3 dc in each ch-2 sp across, end with 5 dc in last sc; **edge one side of sleeve:** pivot to work in ends of rows along side edge, *8 dc in end of next quadtr row, dc in end of next sc row; repeat from * to last quadtr row of sleeve, work (3 hdc, 5 sc, slip st) in end of next quadtr row, slip st in end of next sc row.

Fasten off.

Join Side Seams and Underarm

With WS of piece facing and RS of Front and Back lower lace corners held together, join yarn with slip st in first st of Row 4 (4, 5, 5, 6) of sleeve (beginning of sleeve).

Sizes L (1X) only: Ch 1, dc in first st of opposite corner (unworked st of Row 4).

Sizes S (M, 2X) only: Slip st in first st of opposite corner (unworked st of Row 3 (3, 5), ch 4, dc in next sc of Row 3 (3, 5), ch 1, sc in next ch-2 sp of Row 4 (4, 6), dc in same st as last dc made.

All sizes: *Ch 4, sc together top of next fan and sc at top of next fan of opposite side, ch 4, dc in next sc, ch 1, sc in next ch-2 sp of Row 4 (4, 5, 5, 6), dc in same st as last dc made; repeat from * across remaining unworked sts of Row 3 (3, 4, 4, 5) to beginning of sleeve (underarm); ch 1, *slip st together one loop only of next st of each sleeve edge to be seamed, ch 1, sk next st of each edge; repeat from * across first 27 sts of first edged sleeve, leave rest of sleeve unseamed (or as desired). Do not fasten off.

Edge Remaining Side of Sleeve, and Finish Cuff

Turn sleeve RS out, working in ends of rows along unedged side of sleeve, (dc in end of next sc row, 8 dc in end of next ch-9 sp row) across, end with 2 dc in sc at corner, sk ch-3 sp; join with slip st in top of first dc; **finish cuff:** ch 6, sc in 3rd ch from hook, ldc in join, dc in each dc across, end with 2 dc in third dc of corner, ch 3, slip st in front loop of dc before last dc and one loop of body of last dc made. Fasten off.

LEFT FRONT AND BACK

Work same as Right Front and Back except fasten off Left Front at end of last row; do not fasten off Left Back at end of last row. Seam together last row of both Back pieces. Fasten off. Wet-block seam to lie flat if necessary.

LACY LEFT SIDE PANEL AND SLEEVE

With right side of piece facing, join yarn with slip st in first st of unworked side of foundation row (at lower front corner). Work same as Lacy Right Side Panel and Sleeve.

SHAWL COLLAR

Note: The V-neckline shaping has small "steps" where sts were slip stitched over or were left unworked. The first stitch following a "step" is called a "decrease" in Row 1.

Row 1: With yarn still attached to Right Front, work along V-neckline as follows: *ch 1, sk next decrease, (dc, ch 2, dc) in next st, ch 2, sc in st just before next decrease; repeat from * 4 more times (to last decrease of Right Front), ch 2, (dc, ch 2, dc) in st after last decrease, ch 2, sk next 3 sts, dc in each st across shoulder to to last st of shoulder (to Back); in last st of shoulder and end of first row of Back, work dc2tog, 2 dc in end of each row across to last row of Back; in last row work of Back and first st of Left shoulder dc2tog; work Left Front shoulder and neckline the same as for Right Front; end with slip st in top of last row of Front, turn.

Row 2: Ch 2, dc in first ch-1 sp, sk next ch-2 sp, *fan in next ch-2 sp, sk next 2 ch-sps, dc in next ch-2 sp, sk next 2 ch-sps; repeat from * across to shoulder, continue fan pattern skipping 3 dc after each fan and each dc across to ch-sps of other Front V-neck; continue fan pattern in first ch-sp and work remainder of Front like the first Front. If one ch-sp remains after last dc, leave it unworked. If 2 ch-sps remain, sk 1 ch-sp, (fan, dc) in the last ch-sp. If 3 or more ch-sps remain, distribute the last fan and dc evenly over these ch-sps, turn. **Note:** It is important that the row begins and ends with a dc, and that fans and dc's alternate across the row.

Row 3: Slip st in each trtr, ch-sp, and dc across, turn.

Row 4: Ch 7 (counts as tr, ch 3), *sk next 3 sts, hdc in next st, ch 3, sk next 2 sts, sc in next st (above 4th trtr of fan), ch 3, sk next 2 sts, hdc in next st, ch 3, sk next 3 sts, tr in next st (above the dc), ch 3; repeat from * across, omit last ch-3. Fasten off.

Row 5 (RS): With RS facing, join yarn with slip st in beginning ch-2 of Row 2 of Collar; working along ends of rows of Collar, ch 2, slip st in nearest ldc of last row of Front, turn, 2 dc in same ch-2 sp as join, 6 dc in ch-7 sp at beginning of Row 4, ch 3, slip st in dc just made (take care to insert hook under 2 loops of the dc), 4 dc in same ch-7 sp, 4 dc in each ch-3 sp across, end with 4 dc in last ch-3 sp, ch 3, slip st in dc just made; working along ends of rows of Collar, work 6 dc around post of tr, 5 dc around post of last dc of Row 2 of Collar, slip st in nearest ldc of last Row of Front, turn.

Row 6: *Slip st in next dc, ch 1, sk next dc; repeat from * across, end with slip st in nearest ldc of Front. Fasten off.

FINISHING

Dampen garment with cool water and block overnight; this is especially beneficial for the sleeves.

Kimono-style Belt (optional)

Chain 6.

Row 1: Dc in 4th ch from hook, ldc in each remaining ch across, turn.

Row 2: Ch 3 (does not count as st), ldc in *first* ldc (so that turning ch does not count as a st), ldc in each remaining st across, turn.

Repeat last row 35 more times. Do not fasten off.

